

24" BUILT-IN BIOFRESH / FREEZER | BF/BFI 1051

Premium NoFrost (Unit on the left)

SBS 2410

Premium BioFresh NoFrost

Capacity

Refrigerator comp. 13.5 cu.ft

BioFresh comp. 4.6 cu.ft

NoFrost Freezer comp. 4.1 cu.ft



Outside dimensions

in inches H/W/D: 79-15/16"/48"/25-3/16"

in cm H/W/D: 203/121.9/64

Two separately adjustable cooling circuits for refrigerator and freezer compartments.

left appliance: BFI 1051

right appliance: RI 1400



This unit is also available as:

SBS 240, with stainless steel doors




The 24" units are also available separately, offering a BioFresh-Freezer solution in built-in and stainless steel options. As always, Liebherr invests top quality workmanship and materials into every detail.

LIEBHERR
A delight in freshness


***FOR COMPLETE INSTALLATION INSTRUCTIONS, PLEASE REFER TO THE DESIGN GUIDE**

Unit Dimensions

* Height of unit can be increased by 9/16"



Cabinet Opening Dimensions



NOTE:

The given cabinet opening height dimension includes top air vent. If you choose to place the vent above the cabinet or in a soffit, you will need to adjust the height dimension accordingly.

Electrical Requirements

A 115 Volt, 60HZ, 15 Amp (20 Amp for side-by-side) fused electrical supply is required. We recommend using a dedicated circuit to prevent electrical overload



Unit Venting

1. The following ventilation dimensions must be observed:

There must be a ventilation space at least 31 in.² (200 cm²) at the airflow inlet (1) and at the airflow outlet (2). The 30" and 60" models are equipped with a rolling base, which is already providing you with the bottom airflow inlet requirements.

The top ventilation space can be directed in one of the following ways:

- A) Directly over the appliance (2) with either an optional factory air vent or custom made one using the template supplied with the unit.
- B) Above the cabinet and below the ceiling (3).
- C) Through a vent installed in a soffit (4).



The refrigerator is designed to allow proper air flow when the appliance is installed up against the wall. A minimum space of 1 1/2" is required when a cabinet is built above.