

WALL OVENS



SAVOR THE PERFORMANCE.™




SATISFY YOUR REFINED TASTES

FORM VERSUS FUNCTION. BEAUTY VERSUS PERFORMANCE. For those who refuse to accept an either-or proposition, we present synergy in stainless steel: the Jade™ wall oven. On the inside, a commercial-quality cooking appliance with the power and precision demanded by the world's finest chefs. On the outside, a study in refined elegance that makes an unforgettable statement in any kitchen. Form and function. Beauty and performance. At last, you can create without compromise.



FINE DINING MEETS FINE ART.

To some, it is merely baking. But to you, it is sculpture. The arched dome of a perfectly-prepared cream puff. The delicate flakes of a golden baklava. The rich sweetness of a tender brioche. Jade™ wall ovens indulge your culinary artistry with a sleek design and refined elegance that is the perfect complement to your kitchen. When you can't wait to create, our powerful oven elements preheat to 350°F in about eight minutes. And with a strong heritage of creating the tools demanded by professional chefs, Jade brings the performance of a fine restaurant appliance to the home.



TASTEFUL PERFORMANCE.

You enjoy the delicate perfection that is a well-risen soufflé. Sampling the golden flakes of a warm pastry is the perfect way to begin a Saturday morning. All Jade™ wall ovens feature a unique convection system that constantly circulates an envelope of warm air around your food whether you are baking, broiling, browning or crisping. Our patented design ensures lamb chops emerge with a delicate brown crust while maintaining a juicy pink center. And the 3,400-watt concealed convection element allows the oven to preheat to 350° F in about eight minutes, so you'll never wait long for a wedge of fresh-baked focaccia.

In addition to a patented convection system, Jade™ wall ovens come complete with elite cooking features that bring professional-level capabilities to your home:

- Patented Commercial Proofing System uses restaurant-driven technology to cut proofing time by 50%.
- Convection Pastry mode uses a variable-speed convection fan and auto-prompting display for professional results.
- Sabbath mode reminds you of upcoming holiday observances so you may choose to override the automatic shutoff feature.



DOUBLE WALL OVENS WITH DUAL-OVEN CONVECTION

27" Model RJDO2703A – 3.6 cu. ft. capacity per oven
30" Model RJDO3003A – 4.0 cu. ft. capacity per oven

- Two-speed convection cooking in both ovens
- Automatic convection conversion and fast preheat in both ovens
- Heavy-duty finger-rolled rack with offset rack in both ovens
- Rugged #304 stainless steel construction with welded seams



DOUBLE WALL OVENS WITH UPPER-OVEN CONVECTION

27" Model RJDO2702A – 3.6 cu. ft. capacity per oven
30" Model RJDO3002A – 4.0 cu. ft. capacity per oven

- Upper oven features two-speed convection cooking, lower oven features powerful thermal cooking
- Automatic convection conversion and fast preheat in upper oven
- Heavy-duty finger-rolled rack with offset rack in both ovens
- Rugged #304 stainless steel construction with welded seams



SINGLE WALL OVENS WITH CONVECTION

27" Model RJSO2701A – 3.6 cu. ft. capacity
30" Model RJSO3001A – 4.0 cu. ft. capacity

- Two-speed convection cooking
- Automatic convection conversion and fast preheat
- Heavy-duty finger-rolled racks with offset rack
- Rugged #304 stainless steel construction with welded seams



Jade™ Wall Oven Features



OVEN FITS FLUSH AGAINST THE WALL TO INTEGRATE EASILY INTO ITS SURROUNDING CABINETRY.



STYLISH BLUE INTERIOR LIGHTENS UP THE LOOK OF THE OVEN AND HIGHLIGHTS THE STAINLESS STEEL EXTERIOR.



STATE-OF-THE-ART OVEN CONTROLS ALLOW FOR EASY OPERATION OF BOTH STANDARD AND SPECIAL FEATURES.

- 3,600-watt, eight-pass recessed broiler and concealed bake element work together to ensure even heat throughout the oven cavity and make cleaning easier.

- Unique 16-program cooking system controls the oven and can be easily updated over time with new technology.

- Enamel-coated broiler pan can be cleaned in the self-cleaning mode.

- Triple-pane glass in doors greatly reduces heat transfer to the exterior of the oven.

- Favorites setting lets you program and save cooking times and temperatures for up to 10 favorite recipes.

- Cook & Hold option reduces temperature once cooking is done to keep the meal warm until you are ready to eat.




30" & 27"

Jade™ Wall Oven Specifications

SIZES	30"			27"		
	MODELS	RJDO3003A	RJDO3002A	RJDO3001A	RJDO2703A	RJDO2702A
CONFIGURATIONS	DOUBLE	DOUBLE	SINGLE	DOUBLE	DOUBLE	SINGLE
EXTERIOR FEATURES						
#304 Stainless Steel Construction With Welded Seams	•	•	•	•	•	•
Flush-To-Cabinet Design	•	•	•	•	•	•
Oversized Oven Windows	•	•	•	•	•	•
Professional Stainless Steel Knobs	•	•	•	•	•	•
Glass Touch-Panel Controls	•	•	•	•	•	•
Electronic Clock With Dual Timers	•	•	•	•	•	•
OVEN FEATURES						
Upper/Lower Capacity – cu. ft. (cu. m)	4.0/4.0 (0.11/0.11)	4.0/4.0 (0.11/0.11)	4.0 (0.11)	3.6/3.6 (0.10/0.10)	3.6/3.6 (0.10/0.10)	3.6 (0.10)
Two-Speed Convection Fan	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Fast Preheat	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Convection Bake	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Convection Roast	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Convection Broil	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Convection Pastry	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Eight-Pass Recessed Broiler	•	•	•	•	•	•
Concealed Bake Element	•	•	•	•	•	•
Dehydrate Mode	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Defrost Mode	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Bake Mode	Upper/Lower	Upper/Lower	•	Upper/Lower	Upper/Lower	•
Closed-Door Broiling	Upper/Lower	Upper/Lower	•	Upper/Lower	Upper/Lower	•
Porcelain-Enamel Broiler Pan	•	•	•	•	•	•
Catalytic Smoke Eliminators	2	2	1	2	2	1
Upper/Lower Sliding Racks	2/2	2/2	2	1/1	1/1	1
Upper/Lower Offset Racks	1/1	1/1	1	2/2	2/2	2
Adjustable Self-Cleaning Ovens	2 - 4 hrs.	2 - 4 hrs.	2 - 4 hrs.	2 - 4 hrs.	2 - 4 hrs.	2 - 4 hrs.
Auto-Lock Self-Cleaning	•	•	•	•	•	•
Halogen Lights	2/2	2/2	2	2/2	2/2	2
Programmable Temperature Probes	2	2	1	2	2	1
CONTROL FEATURES						
Automatic Convection Conversion	•	•	•	•	•	•
Favorite Settings Memory	Upper	Upper	•	Upper	Upper	•
Cook & Hold Option	•	•	•	•	•	•
Delay-Start Option	•	•	•	•	•	•
Commercial Proofing System	Upper/Lower	Upper	•	Upper/Lower	Upper	•
Keep Warm Option	•	•	•	•	•	•
Control Lockout	•	•	•	•	•	•
Sabbath Mode	•	•	•	•	•	•
DIMENSIONS						
Height – in. (cm)	52 1/4 (132.7)	52 1/4 (132.7)	29 1/2 (74.9)	52 1/4 (132.7)	52 1/4 (132.7)	29 1/2 (74.9)
Width – in. (cm)	29 3/4 (75.6)	29 3/4 (75.6)	29 3/4 (75.6)	26 3/4 (67.9)	26 3/4 (67.9)	26 3/4 (67.9)
Depth Excluding Handles And Knobs – in. (cm)	24 3/4 (62.9)	24 3/4 (62.9)	24 3/4 (62.9)	24 3/4 (62.9)	24 3/4 (62.9)	24 3/4 (62.9)
ELECTRICAL REQUIREMENTS						
Voltage	240/208v	240/208v	240/208v	240/208v	240/208v	240/208v
Amps	40	40	20	40	40	20

WALL OVEN DIMENSIONS – in. (cm)



	OVERALL	CUTOUT
A. RJDO Models	52 1/4 (132.7)	51 1/4 (131.8)
RJSO Models	29 1/2 (74.9)	29 1/4 (73.8)
B. 30" Models	29 3/4 (75.6)	28 1/2 (72.4)
27" Models	26 3/4 (67.9)	25 1/2 (64.8)
C. All Models	24 3/4 (62.9)	24 (61.0)

NOTES: All Jade™ wall ovens are UL- or CSA-approved for residential installation. Consult the installation instructions that accompany each product for cutout dimensions. Jade Products Company reserves the right to change specifications without notice.



THIS IS JADE.

Imagine the ultimate cooking appliance. Beautiful. Robust. Easy to use and clean. An appliance that enhances the kitchen as well as the meal. Our Jade® appliances are all that and more. Because we believe in a commitment to excellence. Our kitchen suites are rooted in a strong commercial heritage that has produced equipment for the world's leading chefs. Today they have been refined to inspire the cooking enthusiast with unsurpassed performance and superb style.

Each appliance has been robustly designed and crafted by hand to deliver unparalleled performance and exacting precision. And as a part of Maytag Corporation, Jade is committed to delivering an exceptional-quality product backed by unprecedented service after the sale.



As the owner of a Jade® residential appliance, you are entitled to an unprecedented level of support and service after the sale backed by Maytag dependability. This unique program offers dedicated toll-free assistance and Priority OneSM Service scheduling should any in-home calls be required. Call toll-free 1-866-820-9401.



WWW.JADEAPPLIANCES.COM

SAVOR THE PERFORMANCE.™

JADE APPLIANCES | 2650 ORBITER STREET | BREA, CA 92821

© 2004 Jade JWB 9/04